CLAIMS

What is claimed is:

1. (Currently amended) A nucleic acid sequence comprising:

 P_x = S_x = B_m -(ZR)-transport peptide-(Z₁Z₂)-protein(Y)-(Z₁Z₂)-protein(Y_m)-T; wherein:

the nucleic acid codes for a fusion protein comprising a peptide encoded by transport peptide linked via a peptide encoded by a first Z_1Z_2 to a protein encoded by said protein(Y) which is linked to T when m equals zero, or when m does not equal zero, is linked to a peptide encoded by a second Z_1Z_2 which is linked to a chain comprising at least one and up to 5 proteins encoded by protein(Y_m), which either correspond to the protein encoded by said protein(Y) or can be different from the protein encoded by said protein(Y):

the peptide encoded by transport peptide improves the rate of secretion of the protein encoded by said protein(Y) and the protein encoded by said protein(Ym), when the protein encoded by said protein(Ym) is present:

Px comprises a promoter sequence;

Sx comprises a nucleic acid sequence encoding a signal or leader sequence;

 B_n is 1 to 15 codons, when n is an integer from 1 to 15, or a chemical bond, when n=0;

Z is a codon for lysine or arginine;

R is an arginine codon;

transport peptide comprises a nucleic acid sequence encoding <u>hinudin a peptide that is</u> transported across membraces;

 Z_1 is a codon for lysine or a ginine or a portion thereof or a chemical bond when Z_1 and Z_2 combine to make the second Z_1Z_2 and m=0;

 Z_2 is a codon for lysine or arginine or a portion thereof or a chemical bond when Z_1 and Z_2 combine to make the second Z_1Z_2 and m=0;

protein(Y_m) comprises a nucleic acid sequence encoding at least one and up to 5 proteins that are produced and secreted by yeast when m is an integer from 1 to 5, or is a chemical bond when m=0;

protein(Y), selected from the group consisting of mini-proinsulin, proinsulin, interleukin, lymphokine, interferon and blood clotting factor, comprises a nucleic acid sequence encoding a protein that is produced and secreted by yeast and whose biological activity, when protein(Y_m) is not a chemical bond, is not impaired by a basic dipeptide extension encoded by the first or second Z_1Z_2 or allows degradation of the basic dipeptide extension by carboxypeptidase; and

T is an untranslated expression-enhancing nucleic acid sequence.

Claims 2 - 5. (Canceled).

- 6. (Original) A multicopy vector comprising the nucleic acid of claim 1.
- 7. (Original) A plasmid comprising the nucleic acid of claim 1.
- 8. (Original) A host cell comprising the nucleic acid of claim 1 as a part of the host cell chromosome, as a part of a mini-chromosome, or extra-chromosomally.
- 9. (Original) The host cell of claim 8, wherein the host cell is a yeast.
- 10. (Original) The host cell of 9, wherein the yeast is selected from Saccharomyces cerevisiae, Kluyveromyces factis, Hansenula polymorpha, and Pichia pastoris.
- 11. (Original) A host cell comprising the multicopy vector of claim 6.
- 12. (Original) A host cell comprising the plasmid of claim 7.

Claims 13-26. (Canceled)